

**SEIZE
FALL**
Delivering Trust

2021

SKSS 201



SKSS 201

Genuine Buff Grain Barton Leather Upper

2mm (+/-0.2 mm) Leather Thickness

Single Density Direct Injected PU Sole

ISI Approved (IS:15298-2016)

Oil, Acid & Slip Resistant PU Sole

Light Weight

950 Grams Per Pair

200 J Steel Toe Cap

Heel Grip Technology

4 mm Soft EVA Insoles

Sweat Absorbent Nylon Lining

6 Months Replacement Warranty against manufacturing defects for sole

SKSS 201 DD



SKSS 201 DD

Genuine Buff Grain Barton Leather Upper

2mm (+/-0.2 mm) Leather Thickness

Double Density Direct Injected PU Sole

ISI Approved (IS:15298-2016)

Oil, Acid & Slip Resistant PU Sole

Light Weight 1020 Grams Per Pair

200 J Steel Toe Cap

Heel Grip Technology

4 mm Soft EVA Insoles

Sweat Absorbent Nylon Lining

**6 Months Replacement Warranty against
manufacturing defects for sole**

SKSS 202



SKSS 202

Genuine Buff Tango Leather Upper

2mm (+/-0.2 mm) Leather Thickness

Single Density Direct Injected PU Sole

ISI Approved (IS:15298-2016)

Oil, Acid & Slip Resistant PU Sole

Light Weight

1020 Grams Per Pair

200 J Steel Toe Cap

Heel Grip Technology

4 mm Soft EVA Insocks

Sweat Absorbent Nylon Lining

6 Months Replacement Warranty against manufacturing defects for sole

SKSS 203 DD



SKSS 203 DD

Genuine Suede Leather Upper

2mm (+/-0.2 mm) Leather Thickness

Double Density Direct Injected PU Sole

ISI Approved (IS:15298-2016)

Oil, Acid & Slip Resistant PU Sole

Light Weight

1020 Grams Per Pair

200 J Steel Toe Cap

Heel Grip Technology

Ortho Insocks

Sweat Absorbent Mesh Lining

6 Months Replacement Warranty against manufacturing defects for sole

SKSS 205



SKSS 205

Genuine Buff Apollo Leather Upper

2mm (+/-0.2 mm) Leather Thickness

Single Density Direct Injected PU Sole

ISI Approved (IS:15298-2016)

Oil, Acid & Slip Resistant PU Sole

Light Weight

1020 Grams Per Pair

200 J Steel Toe Cap

Heel Grip Technology

Premium Brown & Black Combination

Ortho Insoles

Sweat Absorbent DRI LEX® Lining

**6 Months Replacement Warranty against
manufacturing defects for sole**

SKSS 206 DD



SKSS 206 DD

Genuine Buff Apollo Leather Upper

2mm (+/-0.2 mm) Leather Thickness

Double Density Direct Injected PU Sole

ISI Approved (IS:15298-2016)

Oil, Acid & Slip Resistant PU Sole

Light Weight

1020 Grams Per Pair

200 J Steel Toe Cap

Heel Grip Technology

Ortho Insoles

Night Reflector Tag

Fabric Mesh inserts for higher ventilation

Sweat Absorbent DRI LEX® Lining

6 Months Replacement Warranty against manufacturing defects for sole

SKSS 207 DD



SKSS 207 DD

Genuine Buff Apollo Leather Upper

2mm (+/-0.2 mm) Leather Thickness

Double Density Direct Injected PU Sole

ISI Approved (IS:15298-2016)

Oil, Acid & Slip Resistant PU Sole

Light Weight

1020 Grams Per Pair

200 J Steel Toe Cap

Heel Grip Technology

Ortho Insocks

Sweat Absorbent DRI LEX® Lining

6 Months Replacement Warranty against manufacturing defects for sole

SKSS 208 DD



SKSS 208 DD

Genuine Buff Tango Leather Upper

2mm (+/-0.2 mm) Leather Thickness

Double Density Direct Injected PU Sole

ISI Approved (IS:15298-2016)

Oil, Acid & Slip Resistant PU Sole

Light Weight

1020 Grams Per Pair

200 J Steel Toe Cap

Heel Grip Technology

Ortho Insocks

Sweat Absorbent DRI LEX® Lining

6 Months Replacement Warranty against manufacturing defects for sole

WORKWEAR

Full Body Coverall – SafeKraft 1206

Men's Industrial Coverall with 2 Front Chest Pockets, Pen Pocket, 2 Side Cross Pockets, 1 Tool Pocket, 1 Back Pocket, Elastic on the Back.

Washable.

Fabric: 100 % Cotton

Weight: 210 GSM

Weaving: Twill

Button: Snap Button

Zip: CFC T/W 5 No.

Color: Navy Blue



Full Body Coverall – SafeKraft 1207

Men's Industrial Coverall with 2 Front Chest Pockets, Pen Pocket, 2 Side Cross Pockets, 1 Tool Pocket, 1 Back Pocket, 25 MM Reflective Tape Across Front, Back, Leg & Sleeve.

Washable.

Fabric: 100 % Cotton

Weight: 210 GSM

Weaving: Twill

Button: Snap Button

Zip: CFC T/W 5 No.

Reflective Tape: 25 MM

Color: Navy Blue



WORKWEAR

SafeKraft Knee Length Lab Coat

Knee Length Lab Coat.

2 Front Chest Pockets.

Washable.

Fabric: 100 % Cotton

Weight: 210 GSM

Weaving: Twill

Button: Snap Button

Zip: CFC T/W 5 No.

Color: Navy Blue



SafeKraft Full Sleeve Jacket with ID Card Holder

Full Sleeve Jacket.

2 Front Chest Pockets.

2 Side Cross Pockets.

Side Pocket on Arm Sleeve.

ID Card Pocket.

Push Buttons.

Washable.

Fabric: 100 % Cotton

Weight: 210 GSM

Weaving: Twill

Button: Snap Button

Zip: CFC T/W 5 No.

Color: Navy Blue



WORKWEAR

SafeKraft Waist Length Workwear

Below Waist Length.

Full Sleeve Shirt.

2 Chest Pockets.

2 Waist Pockets.

50 mm Width Reflective Fabric Tapes.

Elastic Wrist Cuff.

Push Button Closure.

Washable.

Fabric: 100 % Cotton

Weight: 210 GSM

Weaving: Twill

Button: Snap Button

Zip: CFC T/W 5 No.

Color: Blue & Orange.



SafeKraft Reflective Cotton Workwear Jacket

Full Sleeve Jacket.

2 Front Chest Pockets.

Side Pocket on Arm Sleeve.

Reflective Fabric Tapes on Sleeves.

Reflective Fabric Tape on Back.

Zip & Velcro Closure.

Washable.

Fabric: 100 % Cotton

Weight: 210 GSM

Weaving: Twill

Button: Snap Button

Zip: CFC T/W 5 No.

Color: Navy Blue



WORKWEAR

SafeKraft Overcoat

Lab / Overcoat/ Welders Coat.

Half Sleeves.

1 Chest Pocket.

2 Waist Pockets.

Round Neck.

Washable.

Fabric: 100 % Cotton

Weight: 190 GSM

Weaving: Twill

Button: Snap Button

Zip: CFC T/W 5 No.

Color: Navy Blue



SafeKraft Overcoat

Lab / Overcoat/ Welders Coat.

Full Sleeves.

1 Chest Pocket.

2 Waist Pockets.

Round Neck.

Washable.

Fabric: 100 % Cotton

Weight: 190 GSM

Weaving: Twill

Button: Snap Button

Zip: CFC T/W 5 No.

Color: Navy Blue



WORKWEAR

SafeKraft Reflective Jacket – SKRJO-101-1

25 mm Width Reflective Tape.

Premium quality side piping.

70 GSM Fabric.

1st Quality 2 Point Velcro Closure.

Full Size.

Available in Mesh Fabric as well.

Available in 50 mm Width Reflective Tape as well.



SafeKraft Reflective Jacket – SKRJG-101-1

25 mm Width Reflective Tape.

Premium quality side piping.

70 GSM Fabric.

1st Quality 2 Point Velcro Closure.

Full Size.

Available in Mesh Fabric as well.

Available in 50 mm Width Reflective Tape as well.



WORKWEAR

SafeKraft Reflective Jacket – SKRJG-107-2

50 mm Width Fabric Reflective Tape.

Premium quality side piping.

120 GSM Polycotton Fabric.

Button Type Closure.

Full Size.

Washable.



SafeKraft Reflective Jacket – SKRJG-109-2

50 mm Width Fabric Reflective Tape.

Premium quality side piping.

120 GSM Polycotton Fabric.

Zip Type Closure.

ID Card Pocket.

Side Pocket.

2 Waist Pockets for tools.

Full Size.

Washable.



WORKWEAR

SafeKraft Reflective Jacket – SKRJG-110-2

50 mm Width Fabric Reflective Tape with Orange border for high visibility.

Premium quality side piping.

120 GSM Polycotton Fabric.

Zip Type Closure.

Full Size.

Washable.



SafeKraft Reflective Jacket – SKRJG-111-2

50 mm Width Fabric Reflective Tape.

Premium quality side piping.

120 GSM Polycotton Fabric.

Zip Type Closure.

ID Card Pocket.

Side Pocket.

2 Waist Pockets for tools.

Dual Color – Green & Blue.

Full Size.

Washable.



SAFETY GLOVES

SafeKraft PU Hand Gloves - SKPUG

Grey Color
PU Coated
Anti Static Gloves
Comfortable Grip
EN 388:2016 Certified
EN 420 Certified
Model - SKPUG



SafeKraft PU Hand Gloves - SKPUW

White Color
PU Coated
Anti Static Gloves
Comfortable Grip
EN 388:2016 Certified
EN 420 Certified
Model No - SKPUW



SafeKraft PU Hand Gloves - SKPUB

Black Color
PU Coated
Anti Static Gloves
Comfortable Grip
EN 388:2016 Certified
EN 420 Certified
Model No - SKPUB



SafeKraft Wrinkle Latex Hand Gloves - SKOYC

Orange/Yellow Color
Latex Coated
Comfortable Grip
Cut Resistant Level 1
EN 388:2016 Certified
EN 420 Certified
Model No - SKOYC



SAFETY GLOVES

SafeKraft Cut Resistant Hand Gloves – SKCRL3

- Black/Grey Color
- Smooth Nitrile Coated
- Comfortable Grip
- EN 388:2016 Certified
- EN 420 Certified
- Cut Level 3
- Model No – SKCRL3



SafeKraft NBR Hand Gloves - SKNBR

- Black/Green Color
- 13 Gauge Shell
- Nitrile Butadine Rubber Coated
- Nitrile Foam Gloves
- Thumb Reinforcement
- Comfortable Grip
- EN 388:2016 Certified
- EN 420 Certified
- Cut Level 3
- Model No – SKNBR



SafeKraft Para Aramid Hand Gloves - SKAKG

- Yellow Color
- Aramid Kevlar
- Comfortable Grip
- Heat Resistant Upto 200°
- EN 388:2016 Certified
- EN 420 Certified
- Model No – SKAKG



SafeKraft Cut Resistant Hand Gloves – SKCRL5

- Black/Grey Color
- Smooth Nitrile Coated
- Comfortable Grip
- Cut Level 5
- EN 388:2016 Certified
- EN 420 Certified
- Model No – SKCRL5



SAFETY GLOVES

SafeKraft Nitrile Sandy Hand Gloves - SKNBTR

Black/Green Color
13 G Shell
Thumb Patch
Cut Level 3
Nitrile Butadine Rubber Coated Sandy Coated
EN 388:2016 Certified
EN 420 Certified
Comfortable Grip
Model No – SKNBTR



SafeKraft Nitrile Coated Hand Gloves - SKNPSN

Black/Blue Color
¾ Nitrile Coating
18 G Shell
Smooth Nitrile
Sandy Nitrile Coating on Palm
Comfortable Grip
Cut Level 5
EN 388:2016 Certified
EN 420 Certified
Model No – SKNPSN



SafeKraft Anti Impact Hand Gloves - SKAIRG

Black/Grey Color
TPR
Anti Impact
Anti Vibration
Anti Hammer
Comfortable Grip
EN 388:2016 Certified
EN 420 Certified
Model No – SKAIRG



SafeKraft Leather Hand Gloves – SKLG-1401

Brown/Grey Color
Soft Leather
High Tensile Strength
Resistance upto 200°
Length – 14”
Comfortable Grip
Model No – SKLG-1401



SAFETY GLOVES

SafeKraft Leather Hand Gloves – SKLG-1402

Blue/Yellow Color
Soft Leather
High Tensile Strength
Resistance upto 200°
Length – 14”
Comfortable Grip
Model No – SKLG-1402



SafeKraft Kevlar Hand Gloves – SKKG-1401

Para Aramid Raw Material
High Tensile Strength
Resistance upto 550°
Length – 14”
Comfortable Grip
Model No – SKKG-1401



SafeKraft Aluminized Hand Gloves – SKAG-1401

Aluminized Kevlar Para Aramid Raw Material
Felt Wool Heat Resistant Lining Inside
Fibreglass Coated
High Tensile Strength
Resistance upto 550°
Length – 14”
Comfortable Grip
Model No – SKAG-1401



SafeKraft Aluminized Kevlar Hand Gloves – SKAKG-1401

Aluminized Kevlar Para Aramid Raw Material
Felt Wool Heat Resistant Lining Inside
Palm Kevlar
High Tensile Strength
Resistance upto 550°
Length – 14”
Comfortable Grip
Model No – SKAKG-1401



SAFETY GLOVES

SafeKraft Aluminized Kevlar Leather Hand Gloves – SKALG-1401

Aluminized Kevlar Para Aramid Raw Material
Felt Wool Heat Resistant Lining Inside
Palm Aluminized Kevlar
Body - High Quality Leather
High Tensile Strength
Resistance upto 550°
Length – 14”
Comfortable Grip
Model No – SKALG-1401



SafeKraft Kevlar Leather Hand Gloves – SKPKG-1401

Kevlar Para Aramid Raw Material
Palm Kevlar
Body - High Quality Leather
High Tensile Strength
Resistance upto 550°
Length – 14”
Comfortable Grip
Model No – SKPKG-1401



SAFETY GOGGLES

SafeKraft Goggles SKG-101

Light Weight uni-lens Design offers panoramic vision.

Adjustable temple length ensures a customized fit.

Economic molded nosepiece.

Available high-performance anti-scratch, anti-fog coatings.

Meets the ANSI Z87.1 & EN166 standards.



SafeKraft Goggles SKG-102

Light Weight Design offers all day comfort.

Uni-Lens provide simple & high performance protection.

Available high-performance anti-scratch, anti-fog coatings.

Meets the ANSI Z87.1 & EN166 standards.



SafeKraft Goggles SKG-103

Excellent lightweight design offers all day comfort.

Large uni-Lens provides extra vision.

Soft TPR nosepieces and padded temple tips offers all day comfort and reduce slippage.

Available high-performance anti-scratch, anti-fog coatings.

Meets the ANSI Z87.1 & EN166 standards.



SafeKraft Goggles SKG-103 AF

Excellent lightweight design offers all day comfort.

Large uni-Lens provides extra vision.

Anti-Fog

Soft TPR nosepieces and padded temple tips offers all day comfort and reduce slippage.

Available high-performance anti-scratch, anti-fog coatings.

Meets the ANSI Z87.1 & EN166 standards.



SAFETY HARNESS

SafeKraft Full Body Harness – SKFBH-15 PP

Anchor Point – 1 Dorsal D Ring.

Features:

Two Chest Loops for Fall Arrester Attachment.

Ideally Positioned Sit Strap for extended comfort.

Built-in dual color webbing for easy orientation.

Web Keeper to ensure the end of webbing does not open.

Fall Indicators to confirm usage of harness upon fall.

Class A Harness.

Connector – Dual Scaffolding Hooks.

Lanyard – 1.8 Mtr Dual PP Lanyard.

Material – Fray Proof dyed polyester webbing.

Buckles – All buckles are of metal of high strength alloy steel.

Stitching – High Strength Polyester Stitching.

Adjustability – Size adjustment straps at chest & thighs.

Standards – Confirms to BIS 3521:1999 & Certified.



SafeKraft Full Body Harness – SKFBH 16 PP

Anchor Point – 1 Dorsal D Ring.

Features:

Ideally Positioned Sit Strap for extended comfort.

Built-in dual color webbing for easy orientation.

Web Keeper to ensure the end of webbing does not open.

Fall Indicators to confirm usage of harness upon fall.

Class A Harness.

Connector – Dual Scaffolding Hooks.

Lanyard – 1.8 Mtr Dual PP Lanyard.

Material – Fray Proof dyed polyester webbing.

Buckles – All buckles are of metal of high strength alloy steel.

Stitching – High Strength Polyester Stitching.

Adjustability – Size adjustment straps at chest & thighs.

Standards – Confirms to BIS 3521:1999 & Certified.



SafeKraft Full Body Harness – SKFBH 16 POLY EA

Anchor Point – 1 Dorsal D Ring.

Features:

Equipped with Double Polyamide Lanyard with Energy Absorber.

Ideally Positioned Sit Strap for extended comfort.

Built-in dual color webbing for easy orientation.

Web Keeper to ensure the end of webbing does not open.

Fall Indicators to confirm usage of harness upon fall.

Class A Harness.

Connector – Dual Scaffolding Hooks.

Lanyard – 1.8 Mtr Dual Polyamide Lanyard.

Material – Fray Proof dyed polyester webbing.

Buckles – All buckles are of metal of high strength alloy steel.

Stitching – High Strength Polyester Stitching.

Adjustability – Size adjustment straps at chest & thighs.

Standards – Confirms to BIS 3521:1999 & Certified.



SafeKraft Full Body Harness – SKFBH-18 PP

Anchor Point – 1 Dorsal D Ring.

Features:

Two D-Rings for Fall Arrester Attachment.

Ideally Positioned Sit Strap for extended comfort.

Built-in dual color webbing for easy orientation.

Web Keeper to ensure the end of webbing does not open.

Fall Indicators to confirm usage of harness upon fall.

Class L Harness.

Connector – Dual Scaffolding Hooks.

Lanyard – 1.8 Mtr Dual PP Lanyard.

Material – Fray Proof dyed polyester webbing.

Buckles – All buckles are of metal of high strength alloy steel.

Stitching – High Strength Polyester Stitching.

Adjustability – Size adjustment straps at chest & thighs.

Standards – Confirms to BIS 3521:1999 & Certified.



MANUFACTURER OF FIXED FALL ARRESTER SYSTEMS



SEIZEFALL TECHNOLOGIES PRIVATE LIMITED

REG. OFFICE: 64, SHYAMNAGAR ROAD, KOLKATA - 700055

E-Mail: marketing@seizefall.com / info@seizefall.com

www.seizefall.com

Contact: +91 8240880593, +91 9123387713